When & How
to use

Iglodine

(Tri-Iodo-Ethel-Phenyl)

The safe, pure
Antiseptic.



Keep this book handy

MO·PAM
QV 26
1921
I 2tw

"IGLODINE"

should be kept in every home

To enable instant action to be taken in the event of any of the dozens of accidents likely to happen at any moment in any household, and also for the numerous bodily affections as explained within this book.

Even the slightest cut, scratch or burn, if not receiving proper and immediate attention, may develop into something serious, resulting in a great deal of unnecessary suffering—perhaps the loss of a limb, and sometimes even death.

Keep "IGLODINE" handy, and use it at once.

22501695234

No. 25443*S.*

INLAND REVENUE,
SOMERSET HOUSE,
LONDON, W.C.,
23rd October, 1907.

GENTLEMEN,

In reply to your letter dated the 16th ultimo, I am directed by the Board of Inland Revenue to acquaint you that the sample of IGLODINE forwarded by you is found on analysis to be a pure drug and may therefore be sold unstamped by a duly qualified chemist or druggist, or by a person holding a medicine vendor's licence.

I am, Gentlemen,
Your obedient servant,
MORTON JACKSON,
Assistant Secretary.

If you are unable to obtain any of the IGLODINE PREPARATIONS at your chemist, write or wire the IGLODINE CO., NEWCASTLE-ON-TYNE—at their expense.

For List of Specialities—see page 16.

This little book will tell you—

In a simple manner how IGLODINE will remedy in a few hours what might otherwise be incurable or take days to effect—IGLODINE is absolutely safe, and leaves no bad after effects.

There is nothing to equal IGLODINE for :—

Wounds, Cuts, Bruises, etc.
Burns and Scalds.
Ulcers and Sores.
Sore and Inflamed Eyes.
For the Ears.
Colds in the Head or Chest.
INFLUENZA.
Nasal Catarrh.
Bronchial Asthma and Catarrh.
Gastric Catarrh and Ulcers.
Diarrhœa, Dysentery, and Enteric.
Sprains, Boils, Carbuncles, Swellings.
Whitlows, Gathered and Poisoned Fingers.
Mosquito and other Insect Bites.
Fevers, Prickly Heat and Erysipelas.
Rheumatism, Lumbago and Sciatica.
Eczema, Psoriasis and other Skin Troubles.

For List of Specialities—see page 16.

Why "Iglodine" will cure so many dissimilar ailments

IGLODINE is *NOT* a patent medicine, but a *PURE* drug. It is non-poisonous and non-corrosive, and can therefore be taken with perfect freedom internally, as well as used externally.

The various ailments specified in this book can be successfully treated by . . . .

IGLODINE

because in most cases the trouble is of bacterial origin. IGLODINE at once attacks the micro-organisms involved, and thus Nature receives the assistance necessary to right herself.

For List of Specialities—see page 16.

Wounds, Cuts, Bruises, ETC.

At once sterilise the wound by thoroughly washing with IGLODINE. Then dress with absorbent cotton wool saturated with IGLODINE. The dressing should be replaced once or twice daily and bandaged lightly.
Do not apply the cotton wool to the mouth of the bottle, but pour a little IGLODINE into a clean cup or saucer, then dip the cotton wool into that, thus avoiding organic matter getting into the IGLODINE which is thereby darkened, though it does not lose its effect.

Burns and Scalds.

In the case of Burns and Scalds apply IGLODINE with a piece of cotton wool or lint, but should blisters be formed cut round the blistered skin with a clean pair of scissors Do not immediately remove the loose skin. Cover with a pad of cotton wool which has been well saturated with IGLODINE, so that the liquid will pass under the blister. After a few minutes remove the pad and the loose skin. Wash the raw surface with IGLODINE and dress the part with a fresh pad well saturated with IGLODINE.
IGLODINE will at once have a soothing effect, reduce the pain and promote rapid healing.

For List of Specialities—see page 16.

For the Eyes.

IGLODINE is an absolutely safe antiseptic for the treatment of all affections of the eyes. It can be used diluted with warm water, one part of hot water and two of IGLODINE so that it is just lukewarm when applied to the eye by the aid of an eye bath or cup. This dilution is not necessary as IGLODINE can be kept full strength and used cold or warm as desired ; if the latter is preferable the IGLODINE can be warmed by putting same into a cup and placing the cup in warm water. The eye should be kept open and well bathed for several seconds at a time and then lightly dried. At first the eye can be bathed once every half-hour and as relief is obtained the period between each bath can be extended, until once a day suffices to bring about the complete cure.

When the eyes are inflamed, red, and painful, caused either by cold or by coming in contact with any foreign or corrosive substance, ordinary IGLODINE is highly recommended to be used as a lotion every hour or as frequently as required to allay the pain, and until all traces cf inflammation and pain have disappeared.

For the Ears.

The ears can be safely syringed with IGLODINE, and in ear troubles (such as Otorrhœa) it may be used lukewarm, as in case of eye lotion.

For List of Specialities—see page 16.

Ulcers and Sores.

All that is required is for the part to be bandaged using cotton wool, or other suitable dressing saturated with IGLODINE. The dressing must be renewed as often as found necessary. A speedy and satisfactory result will be obtained, varying according to the nature and previous duration of the trouble.

Colds in the Head or Chest.

For a cold in the head, douche the nasal passages at least twice a day with IGLODINE. The most satisfactory method is to use the special IGLODINE Nasal Douche in the manner explained on pages 12 and 13.

For colds in the chest IGLODINE should be taken internally three or four times a day. The dose for adults is one tablespoonful, children a teaspoonful or more according to age.

IGLODINE used in the above manner will be found an efficient and rapid remedy for ordinary colds.

Nasal Catarrh.

IGLODINE is specially recommended for Nasal Catarrh, and the best treatment is the douching of the nasal passages with the aid of an IGLODINE douche. (See pages 12 and 13.).

For List of Specialities—see page 16.

Influenza.

IGLODINE is a very effective remedy and a sure preventive of Influenza in all stages.

During the serious epidemics of Influenza which from time to time have prevailed throughout practically every part of the civilised world, IGLODINE over and over again proved its immense value.

The Indian Medical Service, who had to contend with perhaps the most severe of all visitations, used IGLODINE very extensively indeed, and highly recommend it.

To prevent the infection of Influenza, IGLODINE must be frequently drawn up the nostrils—by far the best method of accomplishing this is to use the Special IGLODINE Nasal Douche—(See pages 12 and 13).

Upon rising and retiring the mouth and throat should be well gargled, while the eyes should also be bathed with IGLODINE. The body should also be rubbed with IGLODINE Embrocation.

When infection has taken place, IGLODINE should be taken internally in dozes of one tablespoonful three or or four times a day, in addition to the foregoing treatment.

The above treatment should be continued for three or four days after apparent recovery.

It is interesting to note that during all epidemics in this country, NOT A SINGLE MEMBER OF THE STAFF OF THE IGLODINE CO., LTD., SUFFERED FROM INFLUENZA.

For List of Specialities—see page 16.

Bronchial Asthma and Catarrh.

IGLODINE will be found to give in most cases immediate relief and to be efficacious in all cases of chronic or acute asthmatic and bronchial affections.

It must be taken preferably every three hours or when the attack necessitates, in doses of one teaspoonful (which can be increased to one tablespoonful if necessary) for adults, and from half to one teaspoonful for children. It can be taken by itself, or in a small quantity of water or milk. As soon as relief is obtained the doses can be reduced or taken only once or twice daily. Besides taking IGLODINE internally it is necessary to use a spray or atomiser for the throat, inhaling deeply whilst spraying so as to introduce the finely divided IGLODINE well into the bronchial passages.

If at the same time the patient is affected with catarrh or cold and is troubled with sneezing, discharge and soreness of the nose or eyes it is advisable and practically imperative to use IGLODINE as a douche from an Iglodine Nasal Douche once or twice daily.

For List of Specialities—see page 16.

Gastric Catarrh & Ulcers

Also Catarrh of the Internal Organs.

IGLODINE is administered in doses of one teaspoonful to one tablespoonful for adults, and half to one teaspoonful for children, three or four times daily. IGLODINE relieves irritation, assists all secretions, cleanses and stimulates the mucous membrane. It is highly recommended for catarrh of all internal organs, colds, coughs, chills and febrile symptoms. Most invaluable for all digestive complaints (Indigestion, Flatulence, Dispepsia, etc.), Liver, Kidney and Urinary affections. It stops diarrhœa and relieves constipation. IGLODINE is the only Antiseptic for the treatment of internal ulcers and under no circumstances does it cause any bad after effects but, on the contrary it acts as a splendid blood purifier.

Dysentery, Diarrhœa, Enteric Fever, etc.

IGLODINE tends to relieve irritation, assist all secretions and cleanse and stimulate the mucous membrane. In cases of Dysentry, Diarrhœa, Enteric Fever, etc., a tablespoonful for adults and a teaspoonful for children taken three or four times a day will arrest all trouble. IGLODINE may be taken at any time but preferably half-an-hour before meals.

For List of Specialities—see page 16.

Mosquito and Insect Bites.

For mosquito and other venomous insect bites, IGLODINE EMBROCATION will be found to act very swiftly and will bring instant relief of the irritation, if the affected part is treated with the Embrocation, applied with a small piece of cotton wool, and well rubbed in.

Fevers, Prickly Heat, and Erysipelas.

In the case of Fevers, Prickly Heat, Erysipelas, and all such affections, the part affected should be treated with IGLODINE EMBROCATION. To avoid any possibility of irritating the skin, the Embrocation should be lightly applied with a sponge or camel hair brush.

Boils, Carbuncles, etc.

The part affected must be well painted with IGLODINE EMBROCATION three or four times a day. Care should be taken to not only paint the Boil or Carbuncle itself, but also the surface of the skin in the immediate vicinity. If this treatment is followed the Boil or Carbuncle will soften and disappear within a few days.

Ordinary IGLODINE should also be taken in doses of one tablespoonful three times a day for at least a week to ensure a permanent cure.

For List of Specialities—see page 16.

Rheumatism, Lumbago, and Sciatica.

For these complaints IGLODINE EMBROCATION will be found very beneficial, frequently bringing about the desired result after other treatments have failed. The parts affected must be thoroughly rubbed with the Embrocation once or twice daily or as necessity requires.

Eczema, Psoriasis, etc.

In skin troubles of this nature SALICYLATED IGLODINE should be used.

Slightly moisten a piece of cotton wool with the preparation and paint lightly with a very slight rubbing motion. At first the treatment should be carried out twice (but not more) each day. When improvement is noticed, one application on alternate days will suffice.

A momentary burning sensation will be experienced and the affected skin will finally peel, leaving the surface perfectly healthy.

NOTE.—The finger tips, if not affected by the disease, should be well washed after applying SALICYLATED IGLODINE.

For List of Specialities—see page 16.

"Iglodine" Nasal Douche.

Invaluable for Influenza, . . Nasal Catarrh and Colds in the Head. . .

The "Iglodine" Nasal Douche, invented and patented by the IGLODINE CO., is a useful, simple device, cleverly constructed upon sound scientific and mechanical lines, and very much superior to the nasal douches usually in use.

The "Iglodine" Nasal Douche is made in such a manner that the antiseptic enters the nasal passages in the form of a fine spray (see diagram), thereby more effectively clearing away the dangerous germs which lodge in the nasal passages and cause disease, at the same time obviating that painful, unpleasant feeling so often experienced when ordinary douches are employed.



For List of Specialities—see page 16.

The method of use

is as follows :—

Fill the bowl of the douche half to three-quarters full of IGLODINE, then apply the bulb shaped end to the nostril, care being taken not to force the bulb up the aperture, it being essential to leave the two sides holes on the bulb open.

Press the finger of the free hand on to the other nostril and so close it, bend the head forward and draw in sharply through the nostril to which the douche is applied. As this is done the head should be drawn slowly back to an erect position and so allow the IGLODINE to pass to the back of the mouth. Still keeping the douche to the nostril exhale through the mouth, spit out any of the liquid that has a tendency to pass down the throat. Do this several times then repeat with the other nostril.

The douche should be used in this manner once or twice a day, or as necessity requires.

For List of Specialities—see page 16.

Report from Dr. Slade,

Bacteriologist

to the Royal Victoria Infirmary, Newcastle.

MESSRS. THE IGLODINE CO.,
NEWCASTLE-ON-TYNE. **March 16th, 1910.**

DEAR SIRS,

I have tested the several samples of IGLODINE which you sent me, in regard to their action of preventing the growth of micro-organisms.

My investigations have been carried out to test the antiseptic action against the common types of micro-organism, which cause septic poisoning.

I have found IGLODINE a most satisfactory antiseptic. In its application to wounds it has proved to me that it has sedative as well as very efficient healing properties.

I am, yours faithfully,

H. J. SLADE,

M.B., B.H., D.P.H., M.R.C.S., ETC.

Sterile nutrient broth was placed in a series of test tubes (ten C.C.'s in each).

To A was added 0.2 c.c of Aqueous Concentrated IGLODINE.
To B " " 0.5 c.c. " " "
To C " " 1.0 c.c. " " "
To D " " 1.5 c.c. " " "
To E " " 2.0 c.c. " " "
To F was added 0.2 c.c. dilute IGLODINE (as supplied for all purposes and ready for use).
To G " " 0.5 c.c. " "
To H " " 1.0 c.c. " "
To I " " 2.0 c.c. " "
To J " " 3.0 c.c. " "

For List of Specialities—see page 16.

In the foregoing table the liquid contained in—

Tube A is equal to the ordinary strength of IGLODINE as supplied for general use.
Tube B is equal to 2½ times ordinary strength of IGLODINE.
Tube C is equal to 5 times ordinary strength of IGLODINE.
Tube D is equal to 7.5 times ordinary strength of IGLODINE.
Tube E is equal to 10 times ordinary strength of IGLODINE.
Tube F is equal to ordinary IGLODINE diluted and made 51 times weaker.
Tube G is equal to ordinary IGLODINE diluted and made 21 times weaker.
Tube H is equal to ordinary IGLODINE diluted and made 11 times weaker.
Tube I is equal to ordinary IGLODINE diluted and made 6 times weaker.
Tube J is equal to ordinary IGLODINE diluted and made 4 times weaker.

Each of these tubes was inoculated with emulsion of living staphylococci taken from a series of cases of suppurating wounds.

They were then placed in an incubator kept at body temperature for seven days. At the end of that time it was found that growth had taken place only in F, G and H

IGLODINE *is not poisonous and can be used for internal purposes in doses up to one tablespoonful for adults 3 or 4 times daily, it is a powerful sedative and energises the Phagocytes and thus assists them in cleansing the body of micro-organisms.*

The original of this Report, together with a further Report (confirming the above) from PROFESSOR HEWLETT, M.D., of King's College, University of London, can be seen at the Office of the Company, Iglodine Buildings, Pilgrim Street, Newcastle-on-Tyne.

For List of Specialities—see page 16.

The Iglodine Co., Ltd., Newcastle-on-Tyne.

Revised Price List of Iglodine & Iglodine Specialities from January 1st, 1921.

P.A.T.A.

Iglodine Antiseptic—Bottled and packed in Cartons. Retail Price, 10½d. ; 1/6 ; and 3/- ; Quart, 6/- ; ½ Gallon, 10/- ; 1 Gallon, 18/-; In Bulk, 5 gallons and over, 17/- per gallon. All containers charged and allowed in full when returned, carriage paid, in good condition.

Iglodine Embrocation—Bottled and packed in an attractive Carton. Retail Price, 2/6 per bottle.

Iglodine Ointment—Packed in dainty tins and cartoned. Retail Price, 6d. and 1/-. In Jars, 2/-, 3/-, 4/6. Veterinary Ointment, 7-lb. tins £1 10s. 0d., extra strong.

Salicylated Iglodine—Attractively packed. Retail Price, 2/- per bottle. Good for many skin diseases.

Iglodine Pastilles—Retail Price, Tins, 10½d. ; 1-lb. and 2-lb., at 4/- per lb. (Subject to market fluctuation).

Iglodine Throat Tablets—Retail Price, per bottle, 1/6 ; 1000 tablets, 15/6.

Iglodine Soap—Retail Price, 1/- per tablet. Packed in boxes containing three tablets, 2/9. (Subject to market fluctuation).

Iglodine Concentrated "Aqueous"—Retail Price, 4/6 per oz. in 2 oz., or larger bottles. (Supplied to members of the Medical Profession only).

Iglodine Douche—The Iglodine Nasal Douche is one of the cleverest nasal douches on the market. Retail Price, 1/- each. **"Iglodine"** Throat Sprays, 4/6 each.

Iglodine Cream—Retail Price, Packed in Jars, 1/-, 2/-, 3/-, 4/6.

Iglodine Suppositories (for Piles, etc.)—Retail Price, 1/3 per box of 16 Suppositories.

Iglodine First Aid Outfits—For Factories, Works, Motorists, etc., 12/6 and £2 15s. 0d. For the Household, Cyclists, etc., 1/6 each. Metal Box, 1/8.

THE IGLODINE CO., LTD.,

Newcastle-upon-Tyne.

NORTH WING OF WORKS.

J. W. Kinders & Sons, Printers, Yarmouth.